


LELO PENDANT




LELO is available in 3 sizes and can be surface suspended or wall/ceiling mounted. It consists of circular aluminium profile and an acrylic diffuser for uniform illumination. Integrated or remote control gear that can be fixed or touch/DALI dimmable. Can be ordered in DOWN or UP/DOWN versions in 900mm, 1200mm or 1500mm diameter.






L E L O PENDANT DOWN





	900 mm	1200 mm	1500 mm
reference	42101HW/WW/W	42102HW/WW/W	42103HW/WW/W
wattage	58 W	70 W	92 W
voltage	24 V	24 V	24 V
K	2700/3000/4000 K	2700/3000/4000 K	2700/3000/4000 K
CRI	95+	95+	95+
IP20			
CE			
	3200	4300	5400

L E L O PENDANT UP/DOWN




	900 mm	1200 mm	1500 mm
reference	42105HW/WW/W	42106HW/WW/W	42107HW/WW/W
wattage	116 W	140 W	184 W
voltage	24 V	24 V	24 V
K	2700/3000/4000 K	2700/3000/4000 K	2700/3000/4000 K
CRI	95+	95+	95+
IP20			
CE			
Gear to be ordered separately.	3700	4800	5900

LELO ACCESSORIES




surface feed 1x			
42144	42144DD	42148	42148DD
1x60 W	1x60 W DALI	1x100 W	1x100 W DALI

surface feed 2x			
442146	42146DD	42150	42150DD
2x60 W	2x60 W DALI	2x100 W	2x100 W DALI



surface feed 1x	
42152	42152DD
1x100 W	1x100 W DALI

surface feed 2x	
42154	42154DD
2x100 W	2x100 W DALI




recessed power feed TRIMLESS	recessed power feed	recessed power feed with suspension	holder set 3 pcs	holder set 4 pcs for LELO1500	Suspension adapter LELO
00050	00051	42160	42161	42162	42165

Gear not included.

POWER FEED

FEED RECESSED

Strip | Stripmini | Stripminislim | Lelo | Shu




3X 5X

00014

00015

FEED RECESSED TRIMLESS

Strip | Stripmini | Stripminislim | Lelo | Shu




5X

00115


FEED EXTERNAL

Strip | Stripmini | Stripminislim | Lelo | Shu



00012

Strip | Stripmini | Stripminislim | Lelo | Shu




3X 5X

00016

00017


FEED COMBI

Strip | Stripmini | Stripminislim | Lelo | Shu




5X

00116




00010

Lelo Feed




00051

Lelo Feed



00050



00110

CODES

LIGHT SOURCE

HW - 2700K

WW - 3000K

W - 4000K